

Honey banana bubble hash

Sample ID: BIA260210S0182
Strain: MANU0041-0359-1-B
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Hash - Hard
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 02/10/2026
Completed: 02/19/2026
Batch#:

Client:
Blondie's Bud company
Lic. # CLTV0359
 232 Neshobe Cir
 Brandon, VT 05733



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	02/12/2026	Complete
Terpenes	02/10/2026	Complete
Microbials	02/18/2026	Complete

Cannabinoids

Completed

66.33%						0.30%				80.86%			
Total THC						Total CBD				Total Cannabinoids			
Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass		
	mg/g	%	mg/g	mg/mL	mg/container		mg/g	%	mg/g	mg/mL	mg/container		
CBDVa	0.0003	<LOQ	<LOQ			CBCVa	0.0003	<LOQ	<LOQ				
CBDV	0.0003	<LOQ	<LOQ			CBNa	0.0003	<LOQ	<LOQ				
CBDa	0.0005	0.34	3.4			Δ9-THC	0.0005	0.94	9.4				
CBGa	0.0005	3.69	36.9			Δ8-THC	0.0003	<LOQ	<LOQ				
CBG	0.0005	<LOQ	<LOQ			Δ10-THC*	0.0002	0.20	2.0				
CBD	0.0005	<LOQ	<LOQ			CBL	0.0005	<LOQ	<LOQ				
THCV	0.0003	<LOQ	<LOQ			CBC	0.0003	<LOQ	<LOQ				
CBLV	0.0003	<LOQ	<LOQ			THCa	0.0005	74.57	745.7				
CBCV	0.0003	<LOQ	<LOQ			CBCa	0.0006	0.51	5.1				
THCVa	0.0003	0.61	6.1			CBLa	0.0005	<LOQ	<LOQ				
CBN	0.0005	<LOQ	<LOQ			Total THC		66.33	663.34				
						Total CBD		0.30	2.99				
						Total		80.86	808.55	0.00	0.00		

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




Luke Emerson-Mason
 Laboratory Director
 02/19/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Honey banana bubble hash

Sample ID: BIA260210S0182
Strain: MANU0041-0359-1-B
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Hash - Hard
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 02/10/2026
Completed: 02/19/2026
Batch#:

Client:
Blondie's Bud company
Lic. # CLTV0359
 232 Neshobe Cir
 Brandon, VT 05733

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	5.845	0.585
Ocimene	0.010	4.823	0.482
β-Caryophyllene	0.010	4.612	0.461
Linalool	0.010	3.452	0.345
β-Pinene	0.010	2.688	0.269
α-Humulene	0.010	2.238	0.224
β-Myrcene	0.010	2.183	0.218
α-Pinene	0.010	2.165	0.217
Camphene	0.010	0.518	0.052
α-Bisabolol	0.010	0.319	0.032
Terpinolene	0.010	0.266	0.027
Guaiol	0.010	0.110	0.011
Eucalyptol	0.010	0.061	0.006
Geraniol	0.010	0.061	0.006
γ-Terpinene	0.010	0.052	0.005
3-Carene	0.010	0.033	0.003
Caryophyllene Oxide	0.010	0.028	0.003
α-Terpinene	0.010	0.027	0.003
cis-Nerolidol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		29.480	2.948

Primary Aromas



Analyst: 063

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason
 Laboratory Director
 02/19/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Honey banana bubble hash

Sample ID: BIA260210S0182
Strain: MANU0041-0359-1-B
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Hash - Hard
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 02/10/2026
Completed: 02/19/2026
Batch#:

Client:
Blondie's Bud company
Lic. # CLTV0359
232 Neshobe Cir
Brandon, VT 05733

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 049

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason
Laboratory Director
02/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

